

A 96-well microplate is shown horizontally, floating in the center of the image. It has a grid of 96 wells arranged in 8 rows and 12 columns. The plate is white with black wells. On the left and right edges, there is text: "P/N 100-100000-01" and "100-100000-01".

**immuno
concepts®**

AutoImmune Diagnostics

HEp-2000® ANA

HEp-2000® uses a patented HEp-2 cell line that has been genetically engineered to increase the sensitivity to SS-A/Ro autoantibodies without affecting the other ANA patterns seen. What's the big deal with SS-A/Ro? We would love to show you.

HEp-2 ANA





The original HEp-2 blend that started it all is still available. We continue to grow the original and produce slides for customers all over the world.

nDNA

Crithidia lucilliae continue to be the most widely used assay for anti-DNA autoantibody testing worldwide.

ANCA Ethanol

ANCA associated vasculitides require well produced diagnostic slides. This test kit has ethanol-fixed neutrophils.



IFA

HISTOFLUOR® EmA CE



Primate Esophagus used to detect endomysial antibodies. This test system is to be used as an aid in the detection of antibodies associated with celiac disease and dermatitis herpetiformis.

HISTOFLUOR® Rodent Liver / Kidney / Stomach




Our tissue production team can help to design the test kit needed for your process. Mouse LKS or Rat LKS.

ANCA Formalin

ANCA associated vasculitides require well produced diagnostic slides. This test kit has formalin-fixed neutrophils.



COLORZYME®



HEp-2000® ANA

HEp-2000® uses a patented HEp-2 cell line that has been genetically engineered to increase the sensitivity to SS-A/Ro autoantibodies without affecting the other ANA patterns seen. What's the big deal with SS-A/Ro? We would love to show you.

HEp-2 ANA

The original HEp-2 blend that started it all is still available. We continue to grow the original and produce slides for customers all over the world.

nDNA

Crithidia lucilliae continue to be the most widely used assay for anti-DNA autoantibody testing worldwide.

ELISA

ANA Screen

ENA Single-Well Screen

ENA Multiparameter

MPO

PR3

Cardiolipin - IgG & IgM

dsDNA CE



AUTOMATION



The Universe's Only Open Automated IFA System

Introducing the only **FDA-cleared** automated IFA system in the world utilizing the Immuno Concepts product line to eliminate subjectivity. From slide preparation to image capture and analysis, our system minimizes technologist involvement beyond making correct and confident decisions.

2280 Springlake Ste 106 Dallas Texas 75234
customerservice@GFMD.com
www.GFMD.com



*DISTRIBUTED IN CANADA BY / DISTRIBUÉ AU CANADA PAR:

somagen
DIAGNOSTICS
www.somagen.com 1.800.661.9993

*Some products may not be authorized for sale in Canada.
Please contact Somagen for specific enquiries.
La vente de certains produits n'est pas autorisée au Canada.
S'il vous plaît veuillez contacter Somagen pour des demandes spécifiques.